

Short Report



Wein- und Sekthaus und WeinRestaurant Cuveé

Wine and sparkling wine house and wine restaurant Cuveé

Hartmannstr. 38
67487 Maikammer

Tel: +49 6321 5067
Fax: +49 6321 58759

info@schrieck-maikammer.de
www.schrieck-maikammer.de

Welcome!

TEST RESULT

for

Wein- und Sekthaus und WeinRestaurant Cuveé

67487 Maikammer, Certificate-ID: PA-1970-2018



This offer was classified according to
the criteria of the nationwide label

»Tourism for All«

and, in the period from

May 2019 – April 2022

is entitled to use the label

»Accessibility checked«

and the associated pictograms

in accordance with the contract.

Information for people with walking difficulties and wheelchair users

All areas relevant for testing meet the quality criteria of the label "**Accessibility certified – accessible for people with walking disabilities**".

Some **information on accessibility** are listed below. For detailed information please see the evaluation report.

- There is a marked parking space for people with disabilities (parking space size: 350 cm x 500 cm).
- External paths are easy to walk on and drive on and have a maximum longitudinal gradient of up to 3%.
- The building is steplessly accessible.
- All evaluated rooms and facilities available to the guests are steplessly accessible at ground level.
- Almost all evaluated passageways/doors available to the guests are at least 90 cm wide. Exception: The door between the restaurant and the back entrance as well as the public toilet is 80 cm wide.
- There are wheelchair accessible tables available in the WeinRestaurant Cuvée (maximum height 80 cm, wheelchair accessible at a height of 67 cm and a depth of 30 cm). In the vinotheque, the tables are wheelchair accessible at a height of 64 cm and a depth of 30 cm.
- Guided tours for people with walking impairments and wheelchair users are offered on request. A reservation in advance is necessary. Mobile or fixed seats are available for people with walking disabilities, which may be used during the guided tour. The entire route of the guided tour is steplessly variable for wheelchair users.
- In the vinotheque, there is no public toilet designed for people with disabilities

Public toilet for people with disabilities (WeinRestaurant Cuvée)

- The manoeuvring spaces are:
in front of/behind the door, in front of the toilet and the washbasin at least 154 cm x 156 cm;
left of the toilet 94 cm x 70 cm and right of the toilet 100 cm x 70 cm.
- There are grab rails available on the right and left of the toilet. The grab rails can be flipped-up.
- The sink is wheelchair compatible.
- The mirror can be seen while standing or sitting.
- An alarm trigger (cord, button) is available.

Information for people with hearing impairments and deaf people

Some **information on accessibility** are listed below. For detailed information please see the evaluation report.

- There is no alarm.
- There is no audio induction loop system.
- In the WeinRestaurant Cuvée and in the vinotheque there are tables with bright and glare-free lighting, on which there are no lamps standing or hanging that interfere with the field of vision or eye contact.
- There are no guided tours available for people with hearing impairment and deaf people.

Information for visually impaired and blind people

Some **information on accessibility** are listed below. For detailed information please see the evaluation report.

- Assistance dogs are allowed in relevant areas/rooms.
- External paths do not have visually contrasting or tactilely detectable sidewalk boundaries.
- The entrances are visually rich in contrast, but not recognizable by a tactile change of floor covering.
- All evaluated and usable areas for the guest are well illuminated, i.e. bright and glare-free.
- There are no visually contrasting or tactilely detectable floor indicators available.
- There are no obstacles, e.g. objects protruding into the path/room.
- There are no revolving or rotating doors.
- Glass doors are not marked with safety markings.
- The menu font is straightforward and visually rich in contrast. There is no menu available in large print or braille.
- There are no guided tours available for people with visual impairments and blind people.
- Information is not available in Braille or prismatic font.

Information for guests with cognitive impairments

Some **information on accessibility** are listed below. For detailed information please see the evaluation report.

- The name or logo of the establishment is clearly recognizable from the outside.
- There is no colored or pictorial guidance system available.
- There is no menu with pictures available and the dishes are not visibly presented (buffet, bar).
- There are no guided tours available for people with cognitive impairments.
- There is no information in easy language.

Information on the "Tourism for All" labeling system

All establishments and locations certified with the label "Tourism for All" meet the following quality criteria:


- Data and information on accessibility are collected and checked on site by **external, specially trained evaluators**. The method is not based on self-assessments.
- Data on accessibility is available **in detail** and can be viewed by the guests.
- At least one staff member has successfully passed a **training** on "**Accessibility as a comfort and quality feature**".

The labeling – explanation of the logos and pictograms

The label "**Information about Accessibility**" indicates that detailed and verified information on accessibility is available for all groups of people.



The label "**Accessibility certified**" is based on "Information about Accessibility". It means that the quality criteria defined for specific groups of people are met partially or completely.



The label "**Accessibility certified**" is available in two requirement levels:

"Accessibility certified: partially accessible".

The quality criteria are partially fulfilled for the pictured group of people, i.e. the establishment/location is partially accessible for wheelchair users. The "i" in the pictogram indicates that it is recommended to read again carefully whether the offer meets all (your oder the guest's) individual requirements.



"Accessibility certified: accessible".

The quality criteria are fulfilled for the pictured group of people, i.e. the establishment/location is accessible for wheelchair users.



There are defined quality criteria for **seven groups of people** and a **specific pictogram** for each group.

People with walking disabilities



Wheelchair users



People with hearing impairment



Deaf people



People with visual impairments



Blind people



People with cognitive impairments

